



LISTE DE RÉFÉRENCES SCIENTIFIQUES IgG (août 2015)

IgG et inflammation

Mouse and human neutrophils induce anaphylaxis.

Jönsson F, Mancardi DA, Kita Y, Karasuyama H, Iannascoli B, Van Rooijen N, Shimizu T, Daëron M, Bruhns P. J Clin Invest. (2011) Apr 1;121(4):1484-96

<http://www.jci.org/articles/view/45232>

Gliadin IgG antibodies and circulating immune complexes.

Eisenmann A1, Murr C, Fuchs D, Ledochowski M. Scand J Gastroenterol. 2009;44(2):168-71.

<http://www.ncbi.nlm.nih.gov/pubmed/18819035>

Colon irritable, Maladie de Crohn et IgG alimentaires

Clinical relevance of IgG antibodies against food antigen in Crohn's Disease – A double blind cross over diet intervention study

S. Bentz, M. Hausmann, S. Paul, W. Falk, F. Obermeier, J. Schölmerich, G. Rogler Digestion (2010);81:252–264

<http://www.ncbi.nlm.nih.gov/pubmed/20130407>

The effects of provocation by foods with raised IgG antibodies and additives on the course of Crohn's disease: A pilot study

Hülya Uzunismail et al. Turk J Gastroenterol 2012; 23 (1): 19-27

<http://www.feingold.org/Research/PDFstudies/UZunismail2012-open.pdf>

Food allergy in irritable bowel syndrome: new facts and old fallacies.

Isolauri E, Rautava S, Kalliomaki M, (2004) Gut; 53 (10):1391-3

<http://www.ncbi.nlm.nih.gov/pmc/articles/PMC1774228/>

Food elimination based on IgG antibodies in irritable bowel syndrome: a randomised controlled trial.

Atkinson W, Sheldon TA, Shaath N and Whorwell PJ. (2004) Gut 53(10):1459-1464.

<http://www.ncbi.nlm.nih.gov/pubmed/15361495>

Treating irritable bowel syndrome with a food elimination diet followed by food challenge and probiotics.

Drisko J, Bischoff B, Hall M and McCullum (2006). J of the Am college of Nutrition. Vol25 (6) 514-522

<http://www.ncbi.nlm.nih.gov/pubmed/17229899>

Alterations of food antigen-specific serum immunoglobulins G and E antibodies in patients with irritable bowelsyndrome and functional dyspepsia

X. L. Zuo!, Y. Q. Li!, W. J. Li!, Y. T. Guo!, X. F. Lu!, J. M. Li! and P. V.Desmond Clinical and Experimental Allergy, (2007) 37, 823–830

<http://www.ncbi.nlm.nih.gov/pubmed/17517095>

Dietary Treatment of the Irritable Bowel Syndrome.

Peter Whorwell, MBChB, MRCP and Richard Lea, BSc,MD, FRCP Current Treatment Options in Gastroenterology (2004), 7:307-316

<http://gut.bmj.com/content/53/10/1459.abstract>

IgG-based elimination diet in Migraine plus irritable bowel syndrome. Elif Ilgaz Aydinlar et al. *Headache* 2012
<http://www.ncbi.nlm.nih.gov/pubmed/23216231>

Milk protein IgG and IgA: the association with milk-induced gastrointestinal symptoms in adults. Anthoni S, Savilahti E, Rautelin H, Kolho KL. *World J Gastroenterol.* 2009 Oct 21;15(39):4915-8.
<http://www.ncbi.nlm.nih.gov/pmc/articles/PMC2764968/>

Asthme et IgG alimentaires

The effects of exclusion of dietary egg and milk in the management of asthmatic children: a pilot study. Yusoff NA, Hampton SM, Dickerson JW, Morgan JB. *J R Soc Promot Health.* 2004 Mar;124(2):74-80.
<http://www.ncbi.nlm.nih.gov/pubmed/15067979>

Ovalbumin-specific immunoglobulin G and subclass responses through the first 5 years of life in relation to duration of egg sensitization and the development of asthma. Vance GH, Thornton CA, Bryant TN, Warner JA, Warner JO. *Clin Exp Allergy.* 2004 Oct;34(10):1542-9.
<http://www.instytut-mikroekologii.pl/wp-content/uploads/2012/10/IgG-and-the-development-of-asthma.pdf>

Migraines et IgG alimentaires

A prospective Audit of food intolerance among migraine patients in primary care clinical practice. Trevor Rees, David Watson, Susan Lipscombe, Helen Speight, Peter Cousins, Geoffrey Hardman, Andrew Dowson. (2005) *Headache*, Vol 2 No.1 11-14 http://www.imupro.com.au/wp-content/themes/imupro/files/2005_Rees-A_prospective_audit_of_food_intolerance_in_migraine_patients.pdf

Food allergy mediated by IgG antibodies associated with migraine in adults. Arroyave Hernandez CM, Echevarria Pinto M, Hernandez Montiel HL. *Rev Alerg Mex* (2007); 54: 162–168
<http://www.ncbi.nlm.nih.gov/pubmed/18693538>

Diet restriction in migraine, based on IgG against foods: a clinical double-blind, randomised, cross-over trial. Alpay K, Ertas M, Orhan EK, Ustay DK, Lieners C and Baykan B. (2010) *Cephalgia* 1-9.
<http://www.ncbi.nlm.nih.gov/pubmed/20647174>

IgG-based elimination diet in Migraine plus irritable bowel syndrome. Elif Ilgaz Aydinlar et al. *Headache* 2012
<http://www.ncbi.nlm.nih.gov/pubmed/23216231>

Randomized controlled trial of food elimination diet based on IgG antibodies for the prevention of migraine like headaches. Natasha Mitchell et al, *Nutrition Journal* 2011
<http://www.ncbi.nlm.nih.gov/pubmed/21835022>

Auto-immunité et IgG alimentaires

Detection of IgE, IgG, IgA and IgM antibodies against raw and processed food antigens. Aristo Vojdani *Nutr Metab (Lond).* 2009; 6: 22.
<http://www.ncbi.nlm.nih.gov/pubmed/19435515>

Cross-Reaction between Gliadin and Different Food and Tissue Antigens. Aristo Vojdani^{1,2*}, Igal Tarash¹ *Food and Nutrition Sciences*, 2013, 4, 20-32
<http://www.scirp.org/journal/PaperInformation.aspx?PaperID=26626>

Molecular mimicry as a mechanism for food immune reactivities and autoimmunity. Vojdani A. *Altern Ther Health Med.* 2015;21 Suppl 1:34-45.
<http://www.ncbi.nlm.nih.gov/pubmed/25599184>

Anti-Saccharomyces cerevisiae autoantibodies in autoimmune diseases: from bread baking to autoimmunity.

Rinaldi M1, Perricone R, Blank M, Perricone C, Shoenfeld Y. *Clin Rev Allergy Immunol*. 2013 Oct;45(2):152-61.
<http://www.ncbi.nlm.nih.gov/pubmed/23292495>

Increased prevalence of antibodies against dietary proteins in children and young adults with cerebral palsy.
Stenberg R1, Dahle C, Magnuson A, Hellberg D, Tysk C. *J Pediatr Gastroenterol Nutr*. 2013 Feb;56(2):233-8.
<http://www.ncbi.nlm.nih.gov/pubmed/22983381>

Autism et IgG alimentaires

Food Allergy investigations and its significance in Autism Spectrum Disorders.

Ananthe N Rao*, Minakshi Koch, Sabyasachi Ghosh and Suresh Kumar.V. *International Journal of Pharma and Bio Sciences* Vol.1/Issue-4/Oct-Dec.2010

<http://www.ijpbs.net/issue-4/Bio-7.pdf>

Antibodies against Food Antigens in Patients with Autistic Spectrum Disorders. Laura de Magistris,1 Annarita Picardi,2 Dario Siniscalco,3 Maria Pia Riccio,4 Anna Sapone,1 Rita Cariello,1 Salvatore Abbadessa,5 Nicola Medici,5 Karen M. Lammers,6 Chiara Schiraldi,7 Patrizia Iardino,8 Rosa Marotta,9 Carlo Tolone,10 Alessio Fasano,6 Antonio Pascotto,4 and Carmela Bravaccio11 *BioMed Research International* Volume 2013, Article ID 729349, 11 pages
<http://www.hindawi.com/journals/bmri/2013/729349/>

Subunit and whole molecule specificity of the anti-bovine casein immune response in recent onset psychosis and schizophrenia: Severance EG, Dickerson FB, Halling M, Krivogorsky B, Haile L, Yang S, Stallings CR, Origoni AE, Bossis I, Xiao J, Dupont D, Haasnoot W, Yolken RH. *Schizophr Res*. 2010 May;118(1-3):240-7.

<http://www.ncbi.nlm.nih.gov/pubmed/20071146>

Excéma et IgG alimentaires

Circulating immunoglobulins, leucocytes and complements in childhood-onset atopic eczema. Hon KL1, Wang SS, Pong NH, Leung TF. *Indian J Pediatr*. 2013 Feb;80(2):128-31.

<http://www.ncbi.nlm.nih.gov/pubmed/22706909>